



*Your Final Destination.*

**CAPRON VITRIFIED PVT. LTD.**

Survey No, 66/1, Village- Ratavirda,  
Sartanpar Road, 8-A National Highway,  
Morbi - 363 621. Gujarat- INDIA.

DOMESTIC  
mitul@capronvitrified.com  
Contact: +91 93697 93697

EXPORT  
krunal@capronvitrified.com  
Contact: +91 76220 25593

info@capronvitrified.com | www.capronvitrified.com



*Your Final Destination.*

**THE  
SIZE OF  
STYLE  
AND  
CREATIVITY**

**GVT / PGVT**  
VITRIFIED TILES  
**600x600mm**



# the Company

Established in 2016, Capron is an ISO and CE certified manufacturing company; has grown up as one of the best quality tile manufacturer amongst the industry. With the experience in the supply of tiles to various segment of market such are Architects, Interiors, Contractors, Developers and Retail Customers.

Our company remains same to every part of our business, which is to provide quality products at reasonable prices, dealt by our strong business associates' network on longer relationship and with the efforts of best sales team guided by professional management to own a beautiful home is dream of all, that home may differ in its shape and size but the need of beauty and peace required from that home by all is same.

Today, the era of new generation wants drastic changes to convert the Traditional art into the Modern glint. They want to turn Bathroom into Glamour Room, Walls into Architecture Calligraphy, Bedroom into the Reflection of expressions & attitude and Halls & Kitchens into Jeweller of roof. Ceramic Tiles is the medium that has turned out these illusions into the reality.

What does Capron mean to us, or should mean to you? What are the factors that come to our knowledge when we think of Capron? The answer to this question is a vision beyond the standard horizon, and deeper than what the word itself stands for.

We have a determined vision, a resolute ambition, and an untiring determination thriving confidently towards a brilliance that will redefine superiority.



500+  
Designs

350+  
Dealers

25+  
Country Export

To make your space hold the same, we present to you our Digital Glazed Vitrified Tiles collection.

**600x  
600mm**

**GVT  
PGVT  
VITRIFIED  
TILES**

tiles  
*Trends*

[www.capronvitrified.com](http://www.capronvitrified.com)



# Index



**GLOSSY SERIES** — Pg....**08**

**DC SERIES** — Pg....**20**

**3D SERIES** — Pg....**26**

**BOOK MATCH SERIES** — Pg....**36**

**MATT SERIES** — Pg....**46**

## Best of **Capron** Choose us for...

To us, perfection is not just about selling fabulous tiles that are beautifully designed. Perfection is the daily on-going pursuit, which our company strives to achieve both in our sourcing of products and service levels. We are constantly working with our designers to design new products, improving our service and

**600x  
600mm  
GVT / PGVT  
VITRIFIED TILES**





Your Final Destination.


## PRECIOUS *exclusivity*

The intriguing decorative textures and Surfaces the detail of Personality that Embellishes and Attracts for the Air elegant that Gives the Space.



SERIES  
**GLOSSY**

**600x  
600mm**  
GVT  
PGVT  
VITRIFIED  
TILES





SIZE:  
**600x600mm** DIGITAL GLAZED  
 VITRIFIED TILES

SERIES:  
**GLOSSY**



MINIMUM  
**3mm**  
 SPACER  
 RECOMMEND



tiles shown: VERA WHITE



VERA WHITE



PEARL STATUTARIO



ROSSO STATUTARIO



CP 5022



CPGC 02



CPGC 03



CPGC 11



CPGC 50



CPGC 59





SIZE:  
**600x600mm** DIGITAL GLAZED  
 VITRIFIED TILES

SERIES:  
**GLOSSY**




MAJESTIC ONYX



SKYTOUCH GREY



EIFEL ONYX



ONYX WHITE



MIRECAL ONYX



VISTA ONYX



PLAZO WHITE



CECILLIA CREMA



CECILLIA BEIGE

tiles shown: MAJESTIC ONYX





SIZE:  
**600x600mm** DIGITAL GLAZED  
 VITRIFIED TILES

SERIES:  
**GLOSSY**



MINIMUM  
**3mm**  
 SPACER  
 RECOMMEND



tiles shown: CREMA MARFIL



ITALIA BEIGE



CRATE WHITE



CREMA MARFIL




FLAMINGO BLUE



FLAMINGO BEIGE



ARICON WHITE



ROSSA BIANCO



ROSSA CREMA



LYNEX GRIS





SIZE:  
**600x600mm** DIGITAL GLAZED  
VITRIFIED TILES

SERIES:  
**GLOSSY**



MINIMUM  
**3mm**  
SPACER  
RECOMMEND



tiles shown: CP 5014



IMPERIAL WHITE



LEUCO WHITE



FLORIDA GREY



CP 5019



DYNA SILVER



CP 5014



TECLA BEIGE



LOFT DARK



AUSTIN CREMA





SIZE:  
**600x600mm** DIGITAL GLAZED  
 VITRIFIED TILES

SERIES:  
**GLOSSY**



GRANITO BEIGE



SPIDER BLACK



CP 5016



ATLAS MULTI



MINT BLUE



MINT BROWN




CP 5025



ESPANIA GREY



ESPANIA BROWN



NOVA BROWN



GLACIER BROWN



GLACIER BLUE



HIMALAYAN WOOD



ANGLO CREMA




ANGLO BROWN



FINIX BEIGE



DIAMOND GREY



DIAMOND BLUE





Your Final Destination.

## DELICATE

It's Amazing  
that Tangible  
Senses Are tuned  
in to Creativity. It  
is our Privilege to  
be Able to  
Capture your  
Senses within our  
Tiles.


*discretion*

600x  
600mm

GVT  
PGVT  
VITRIFIED  
TILES



SERIES  
**DC**





SIZE:  
**600x600mm** DIGITAL GLAZED  
 VITRIFIED TILES


SERIES:  
**DC**



MINIMUM  
**3mm**  
 SPACER  
 RECOMMEND



tiles shown: MURATO SLATE



CP 5021



MURATO PINK



MURATO GOLD



DYNAMIC BEIGE



MURATO AQUA



MURATO BROWN



MURATO MINT



MURATO SILVER



MURATO SLATE





SIZE:  
**600x600mm** DIGITAL GLAZED  
VITRIFIED TILES

SERIES:  
**DC**



MINIMUM  
**3mm**  
SPACER  
RECOMMEND



tiles shown: CIZA BLUE



MURATO GREY



MURATO ALMOND



MURATO BLUE



CIZA BLUE



CIZA LIGHT GREY



CIZA DARK GREY



CIZA GREEN



CIZA BEIGE



CIZA DARK BROWN







Your Final Destination.


## GRACEFULLY *charming*

Decorate your Space  
with us and Let  
others feel connected  
with the Beautiful  
inner world of Yours.

600x  
600mm  
GVT  
PGVT  
VITRIFIED  
TILES



SERIES  
**3D**





SIZE:  
**600x600mm** DIGITAL GLAZED  
VITRIFIED TILES


SERIES:  
**3D**




MINIMUM  
**3mm**  
SPACER  
RECOMMEND



tiles shown: FLORA BLUE




COSMO WHITE




PEARL WHITE



ARIZON WHITE



INFINITY WHITE



UNIKA FLORE



APEX FLOWER BROWN



BROWN FLOS



FLORA WHITE



FLORA BLUE





SIZE:  
**600x600mm** DIGITAL GLAZED  
VITRIFIED TILES

SERIES:  
**3D**




MINIMUM  
**3mm**  
SPACER  
RECOMMEND




tiles shown: SPINO PEARL



BELMOND WHITE



SPINO PEARL




SPINO BLUE




BLUE BALLS




MOON LIGHT




WHITE STONE



ZIANO BROWN



LOTUS WHITE



SILICATE GOLD





SIZE:  
**600x600mm** DIGITAL GLAZED  
VITRIFIED TILES

SERIES:  
**3D**




MINIMUM  
**3mm**  
SPACER  
RECOMMEND



tiles shown: WATER DROPS BLUE



GINGER BROWN



GOLDEN TRIANGLE




MOOD WHITE



AMBER GREY



AMBER BROWN



IRISH WHITE



WATER DROPS BROWN



WATER DROPS BLUE



STEEL WATER





SIZE:  
**600x600mm** DIGITAL GLAZED  
 VITRIFIED TILES

SERIES:  
**3D**




MINIMUM  
**3mm**  
 SPACER  
 RECOMMEND




tiles shown: KRYSTALO BLUE




SIRA WHITE



VEGA GREY



ARISTO GREY



CRYSTA WHITE




MOTELY BROWN



TUPELO BROWN



BOSTON BROWN



KRYSTALO GREY



KRYSTALO BLUE







Your Final Destination.


## IMPRESSIVE *impulses*

Because we are concerned about your personal taste for integrity, we offer you with a freedom of choice.

600x  
600mm  
GVT  
PGVT  
VITRIFIED  
TILES



## SERIES **BOOK MATCH**





SIZE:  
**600x600mm** DIGITAL GLAZED  
VITRIFIED TILES

SERIES:  
**BOOK  
MATCH**




MINIMUM  
**3mm**  
SPACER  
RECOMMEND



tiles shown: CP 5041




CP 5033



CP 5038



CP 5039



CP 5041





SIZE:  
**600x600mm** DIGITAL GLAZED  
VITRIFIED TILES


SERIES:  
**BOOK  
MATCH**



MINIMUM  
**3mm**  
SPACER  
RECOMMEND



CP 5040



CP 5042



CP 5052




CP 5053




CP 5044



CP 5045



CP 5054



CP 5055



SIZE:  
**600x600mm** DIGITAL GLAZED  
VITRIFIED TILES

SERIES:  
**BOOK  
MATCH**




MINIMUM  
**3mm**  
SPACER  
RECOMMEND




Your Final Destination

tiles shown: CP 5057




CP 5056



CP 5057



CP 5058



CP 5062





SIZE:  
**600x600mm** DIGITAL GLAZED  
VITRIFIED TILES


SERIES:  
**BOOK  
MATCH**




MINIMUM  
**3mm**  
SPACER  
RECOMMEND



tiles shown: CP 5066




CP 5063



CP 5065



CP 5066



CP 5067







Your Final Destination.



# GALLOPING *Glamour*

We understand your indulgence for a lavish lifestyle. Our tiles make it grand and Luxurious for you.



SERIES  
**MATT**

**600x  
600mm**  
GVT  
PGVT  
VITRIFIED  
TILES






SIZE:  
**600x600mm** DIGITAL GLAZED  
 VITRIFIED TILES

SERIES:  
**MATT  
 GVT**



MINIMUM  
**3mm**  
 SPACER  
 RECOMMEND



MATT WHITE



PULPIS CREMA



PULPIS BEIGE



CORDIA BEIGE



CORDIA CREMA



CORDIA PEARL



CEMENTIANA GREY



CARMEL BEIGE



CARMEL BROWN



CORDIA CHOCO



CORDIA SILVER



CORDIA NERO



QUARTZ CREMA



GENEVA COPPER




GENEVA BROWN



GENEVA GREY



NORWAY GREY



FORNAX GALAXY



SIZE:  
**600x600mm** DIGITAL GLAZED  
 VITRIFIED TILES

SERIES:  
**MATT  
 GVT**



MINIMUM  
**3mm**  
 SPACER  
 RECOMMEND



tiles shown: ROYAL BIANCO



ROYAL BIANCO



ROYAL CREMA



ROYAL BEIGE



ROYAL SILVER



ROYAL BROWN



ROYAL CHOCO



ROYAL NERO



ROYAL COBART






SIZE:  
**600x600mm** DIGITAL GLAZED  
VITRIFIED TILES


SERIES:  
**MATT  
GVT**




MINIMUM  
**3mm**  
SPACER  
RECOMMEND



VOLCANO BEIGE 01




VOLCANO BEIGE 02




VOLCANO BEIGE 03



VOLCANO GREY 02




VOLCANO GREY 03




VOLCANO GREY 04


tiles shown: VOLCANO BROWN 03



VOLCANO BEIGE 04



VOLCANO BROWN 01



VOLCANO BROWN 02



VOLCANO BROWN 03



VOLCANO BROWN 04



VOLCANO GREY 01





SIZE:  
**600x600mm** DIGITAL GLAZED  
VITRIFIED TILES

SERIES:  
**MATT  
GVT**



MINIMUM  
**3mm**  
SPACER  
RECOMMEND



FOSSIL GRIS



AMERICAN BRASSWOOD



SCOTT WOOD



TEAKWOOD BROWN



HEMLOCK WOOD



MULTI WOOD



KINSEY VERDE



KINSEY BLUE



ZAMBIAN NERO

tiles shown: SCOTT WOOD





Technical Specification

| CHARACTERISTIC                           | STANDARD AS PER ISO-13006/EN14411 GROUP BLA | MEAN VALUE OF CAPRON GVT    | TEST METHOD  |
|------------------------------------------|---------------------------------------------|-----------------------------|--------------|
| REGULATORY PROPERTIES                    |                                             |                             |              |
| Deviation in Length & Width              | ±0.5%                                       | ±0.1%                       | ISO-10545-2  |
| Deviation in Thickness                   | ±5.0%                                       | ±4.0%                       | ISO-10545-2  |
| Straightness in Side                     | ±0.5%                                       | ±0.1%                       | ISO-10545-2  |
| Rectangularity                           | ±0.5%                                       | ±0.1%                       | ISO-10545-2  |
| Surface Flatness                         | ±0.5%                                       | ±0.2%                       | ISO-10545-2  |
| Color Difference                         | Unaltered                                   | No Change                   | ISO-10545-16 |
| Glossiness (ONLY FOR PGVT)               | As Per Mfg.                                 | Min 90%                     | GLOSSMETER   |
| STRUCTURAL PROPERTIES                    |                                             |                             |              |
| Water Absorption                         | < 0.50%                                     | < 0.05%                     | ISO-10545-3  |
| Apparent Density                         | > 2.0 g/cc                                  | > 2.10 g/cc                 | DIN 51082    |
| MASSIVE MECHANICAL PROPERTIES            |                                             |                             |              |
| Modulus of Rupture                       | Min. 35 N/mm <sup>2</sup>                   | Min. 40 N/mm <sup>2</sup>   | ISO-10545-4  |
| Breaking Strength                        | Min. 1300 N                                 | Min. 2000 N                 | ISO-10545-4  |
| Impact Resistance                        | As Per Mfg.                                 | Min. 0.55                   | ISO-10545-5  |
| SURFACE MECHANICAL PROPERTIES            |                                             |                             |              |
| Surface Abrasion Resistance              | As Per Mfg.                                 | Min. Class-3                | ISO-10545-7  |
| MOH's Hardness                           | As Per Mfg.                                 | Min. 4                      | EN 101       |
| THERMO HYGROMETRIC PROPERTIES            |                                             |                             |              |
| Frost Resistance                         | No Damage                                   | No Damage                   | ISO-10545-12 |
| Thermal Shock Resistance                 | No Damage                                   | No Damage                   | ISO-10545-09 |
| Moisture Expansion                       | Nil                                         | Nil                         | ISO-10545-10 |
| Thermal Expansion (COE)                  | Max. 9.0 x 10 <sup>-6</sup>                 | Max. 6.5 x 10 <sup>-6</sup> | ISO-10545-8  |
| Crazing Resistance                       | As Per Mfg.                                 | Min. 10 Cycle               | ISO-10545-11 |
| CHEMICAL PROPERTIES                      |                                             |                             |              |
| Chemical Resistance                      | No Damage                                   | No Damage                   | ISO-10545-13 |
| Stain Resistance                         | Resistance                                  | Resistance                  | ISO-10545-14 |
| SAFETY PROPERTIES                        |                                             |                             |              |
| Slip Resistance                          | As Per Mfg.                                 | > 0.40                      | ISO-10545-17 |
| Fire Resistance                          | As Per Mfg.                                 | Fireproof                   | N. A.        |
| Lead & Cadmium Given Off By Glazed Tiles | As Per Mfg.                                 | Does Not Yield Pb & Cd      | ISO-10545-15 |

Packaging Detail

| Size       | Thickness (approx.) | Tiles Per Box | Coverage Area (approx.) | Wt.Kgs. / Box (approx.) |
|------------|---------------------|---------------|-------------------------|-------------------------|
| 600x600 MM | 8.0 MM              | 4 Pcs.        | 1.44 Sq. Mtr.           | 27.50                   |



TILES  
LAYING