



Your Final Destination.

ELEGANT
SERIES

JAN
20
24





Appeal Of Gracious
surfaces & detail

600
x600mm



Your Final Destination.

*Your Final
Destination*




Founded in 2016, **Capron Vitrified Pvt. Ltd** has already been able to make a distinctive mark on the domestic as well as international market.

It has rightfully earned a reputation of being one of the most reliable name in distribution and retail in Indian Tile market.





Your Final Destination.




Size :

600×600mm

Finish :


GLOSSY FINISH

Thickness :



The pattern of this surface creates a symmetry that complements the ambiance and make them extraordinary.

ELEGANT
SERIES



Discover the allure of book-match tiles, where a simple flip reveals a breathtaking symmetrical arrangement, turning ordinary floors and walls into works of art.



Your Final Destination.

ELEGANT SERIES



Step into a realm of refined luxury with Elegance series tiles, where every step is a testament to impeccable taste and elegance.


SUPERIOR FEATURES OF DIGITAL FULLBODY TILES

The SyncStone Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.




SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.




EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning only.




ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



HIGH STRENGTH

The fullbody composition boasts high strength and resistance ideal for high traffic also.



LOW WATER ABSORPTION

Exceptionally non-porous surface and revolutionary digital print make surface low water absorbing.

Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

APPLICATION AREA



KITCHEN



LIVING ROOM



CORPORATE OFFICES



HOTEL & RESTOURANTS



BATHROOM



PUBLIC PLACE





Your Final Destination.

ELEGANT SERIES

AMAZONITE

Size : 600x600mm

Finish : GLOSSY



FEATURES

- EASY MAINTENANCE
- DIMENSIONAL STABILITY
- HIGH STRENGTH
- WATER RESISTANT
- CHEMICAL RESISTANT
- IMPACT RESISTANCE
- FIRE RESISTANT
- HYGIENIC SURFACE

MINIMUM
3MM SPACE
RECOMMEND





Your Final Destination.


ELEGANT
SERIES

AMZONIT AQUA




Size : 600x600mm

Finish : GLOSSY



Random : 04



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE



Your Final Destination.


ELEGANT
SERIES

AQUA ART




Size : 600x600mm

Finish : GLOSSY



Random : 03



FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |

MINIMUM
3MM SPACE
RECOMMEND





Your Final Destination.


ELEGANT
SERIES

ARISTOC BLUE




Size : **600x600mm**

Finish : **GLOSSY**



Random : 05



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE



Your Final Destination.


ELEGANT
SERIES

AROTIC BLUE




Size : 600x600mm

Finish : GLOSSY



Random : 05



FEATURES



MINIMUM
3MM SPACE
RECOMMEND





Your Final Destination.


ELEGANT
SERIES

ARTIC SATVARIOT




Size : **600x600mm**

Finish : **GLOSSY**



Random : 03



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE



Your Final Destination.


ELEGANT
SERIES

ASPIER BLUE




Size : **600x600mm**

Finish : **GLOSSY**



Random : 05



FEATURES

- | | | | |
|--|---|--|--|
| 
EASY
MAINTENANCE | 
DIMENSIONAL
STABILITY | 
HIGH
STRENGTH | 
WATER
RESISTANT |
| 
CHEMICAL
RESISTANT | 
IMPACT
RESISTANCE | 
FIRE
RESISTANT | 
HYGIENIC
SURFACE |

MINIMUM
3MM SPACE
RECOMMEND 



Your Final Destination.


ELEGANT
SERIES

CLOUDY GREEN




Size : 600x600mm

Finish : GLOSSY



Random : 05



FEATURES





Your Final Destination.


ELEGANT
SERIES

CP-5097



Size : **600x600mm**

Finish : **GLOSSY**



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND A white icon of a cross with a small square in the center, representing the minimum 3mm space recommendation.




Your Final Destination.

ELEGANT
SERIES

CRAYOL GREY

Size : 600x600mm

Finish : GLOSSY



Random : 05



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE




Your Final Destination.

ELEGANT
SERIES


CRIMSON ART

Size : 600x600mm

Finish : GLOSSY



Random : 04



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND






Your Final Destination.

ELEGANT
SERIES


CRYSTA GOLD

Size : 600x600mm

Finish : GLOSSY



Random : 03



FEATURES

- EASY MAINTENANCE
- DIMENSIONAL STABILITY
- HIGH STRENGTH
- WATER RESISTANT
- CHEMICAL RESISTANT
- IMPACT RESISTANCE
- FIRE RESISTANT
- HYGIENIC SURFACE



Your Final Destination.


ELEGANT
SERIES

FOSSIL SATVARIYO



Size : 600x600mm

Finish : GLOSSY



Random : 03



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND A small icon consisting of a white crosshair with a grey square in the center, representing the minimum 3mm space recommendation.



Your Final Destination.


ELEGANT
SERIES

FUSION MULTI




Size : 600x600mm

Finish : GLOSSY



Random : 04



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE



Your Final Destination.

ELEGANT SERIES


GREEN DARK

Size : 600x600mm

Finish : GLOSSY

FEATURES

- EASY MAINTENANCE
- DIMENSIONAL STABILITY
- HIGH STRENGTH
- WATER RESISTANT
- CHEMICAL RESISTANT
- IMPACT RESISTANCE
- FIRE RESISTANT
- HYGIENIC SURFACE



Random : 05



MINIMUM
3MM SPACE
RECOMMEND





Your Final Destination.


ELEGANT
SERIES

LISTA WHITE



Size : **600x600mm**

Finish : **GLOSSY**



Random : 05



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE



Your Final Destination.


ELEGANT SERIES

NUEVA GREEN



Size : 600x600mm

Finish : GLOSSY



Random : 03



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND





Your Final Destination.

ELEGANT
SERIES

PANTHER AQUA




Size : 600x600mm


Finish : GLOSSY

FEATURES

- EASY MAINTENANCE
- DIMENSIONAL STABILITY
- HIGH STRENGTH
- WATER RESISTANT
- CHEMICAL RESISTANT
- IMPACT RESISTANCE
- FIRE RESISTANT
- HYGIENIC SURFACE



Random : 04





Your Final Destination.

ELEGANT
SERIES

PELICAN GREEN



Size : 600x600mm

Finish : GLOSSY

FEATURES

- 

EASY
MAINTENANCE
- 

DIMENSIONAL
STABILITY
- 

HIGH
STRENGTH
- 


WATER
RESISTANT
- 

CHEMICAL
RESISTANT
- 


IMPACT
RESISTANCE
- 

FIRE
RESISTANT
- 

HYGIENIC
SURFACE



Random : 03



MINIMUM
3MM SPACE
RECOMMEND





Your Final Destination.

ELEGANT
SERIES

PRIZA WHITE

Size : 600x600mm

Finish : GLOSSY

FEATURES

- 

EASY
MAINTENANCE
- 

DIMENSIONAL
STABILITY
- 

HIGH
STRENGTH
- 


WATER
RESISTANT
- 

CHEMICAL
RESISTANT
- 


IMPACT
RESISTANCE
- 

FIRE
RESISTANT
- 

HYGIENIC
SURFACE



Random : 05





Your Final Destination.


ELEGANT
SERIES

SKYLAR SATVARIO




Size : 600x600mm

Finish : GLOSSY



Random : 04



FEATURES



MINIMUM
3MM SPACE
RECOMMEND





Your Final Destination.


ELEGANT
SERIES

TERRA MULTI




Size : 600x600mm

Finish : GLOSSY



Random : 04



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE



Your Final Destination.

ELEGANT
SERIES

TRION BLUE

Size : 600x600mm

Finish : GLOSSY

FEATURES

- 

EASY
MAINTENANCE
- 

DIMENSIONAL
STABILITY
- 

HIGH
STRENGTH
- 


WATER
RESISTANT
- 

CHEMICAL
RESISTANT
- 

IMPACT
RESISTANCE
- 

FIRE
RESISTANT
- 

HYGIENIC
SURFACE



Random : 06



MINIMUM
3MM SPACE
RECOMMEND



TECHNOLOGY & AFFILIATIONS

HLT

KEDA

vidres

MODENA

SYSTEM
Ceramics

OUR CERTIFICATE


UK
CA



CE



TILES INSTALLATION



Special Laying Instruction:

Tiles Spacers We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

Features and Benefits:

- Spacers accommodate the movements due to thermal variations and different loads
- When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti - fungal and anti - bacterial
- With spacers, we can create uniform designs and pattern
- Improved aesthetics and dimensional stability to the entire tile/ stone assembly
- It ensures longer life span of tile installation

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	CAPRON VITRIFIED TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
1) Flexural Modulus Of Rupture	Min. 35N/mm ²	Min. 40N/mm ²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
1) Deep Abrasion Resistance	Max. 175mm ³	Max. 132mm ³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERTIES			
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x10 ⁶	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

PACKING DETAIL

Size	600x600mm
Thickness (approx.)	8 mm
Pieces / Box	4 pcs.
Area / Box	1.44 sq.mtr.
Wt. (approx.)	26-27 Kgs.





Your Final Destination.

CAPRON VITRIFIED PVT. LTD.



Survey No. 66/1, Village-Ratavirda, Sartanpar Road,
8-A National Highway, Morbi, Gujarat-India.



+91 9369793697



www.capronvitrified.com



info@capronvitrified.com

